

Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 1 of 6

Applicant: SHENZHEN HELLVAPE TECHNOLOGY CO., LTD

Address: 404, No.12 Tongfuyu Industrial Zone, Heping Community, Bao'an

District, Shenzhen, Guangdong, China

The following sample(s)and sample information was/were submitted and identified by/on the behalf of the client:

Sample Name Drop Dead 2 RDA

Model No. Drop Dead 2 RDA

Trademark Hellvape

Manufacturer SHENZHEN HELLVAPE TECHNOLOGY CO., LTD

Sample Received Date December 12, 2023

Testing Period December 13 – 15, 2023

Test Method & Test Result Please refer to following pages.

**Test Requested** As specified by client, according to Tobacco Product Directive

(2014/40/EU )Article 20, to test formaldehyde, acetaldehyde, acrolein, diethylene glycol, ethylene glycol, diacetyl, 2,3-

Pentanedione, lead (Pb), cadmium (Cd), mercury (Hg), chromium (Cr), nickel (Ni), arsenic (As), antimony (Sb), aluminum(Al), iron(Fe),

tin (Sn), nicotine consistency, total particulate matter, nicotine,

Propylene glycol and Glycerol Content(s) in the submitted sample(s).

Tested by:

Vimi

Ning

Approved by:

Reviewed by:

Tong Gmj

Date of issue:

December 19, 2023

ALPHA's reports is using a digital certificate that is trusted on Adobe's official server. If there is no digital certificate or the digital certificate shows damaged in your report. Please do not accept the report.

E-mail: service@a-lab.cn Tel: 4008300895 Website: http://www.a-lab.cn/certificate



Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 2 of 6

#### **Test Condition:**

- 1. **Test Item 1-7:** with reference to the CORESTA RECOMMENDED METHOD N<sup>0</sup> 81:2015 method parameter and AFNOR standardization XP D90-300-3:2021, a simulate smoke machine was used to collect the vapor.
- 2. **Test Item 8:** with reference to the CORESTA RECOMMENDED METHOD N<sup>0</sup> 81:2015 method parameter and CORESTA RECOMMENDED METHOD N<sup>0</sup> 84:2021, a simulate smoke machine was used to collect the vapor.

3.0s±0.1s		
55mL $\pm$ 0.3mL		
30s±0.5s		
20		
300s±120s		
18.5mL/s±1.0mL/s		
<1000Pa±50Pa		
5		
100		
300s		

#### Remark:

1. The tests are performed in a room at (15~25)° C, with (40~70)% relative humidity, at an atmospheric pressure of more than 900 hPa.



Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 3 of 6

#### **Test Result**

### 1. Formaldehyde, Acetaldehyde, Acrolein content(s)

Method: The volatile aldehydes are extracted from the aerosol by bubbling each puff through an impactor containing an acidified aqueous solution of 2,4 - DNPH. The samples are analyzed by reverse phase high - performance liquid chromatography and determined using a UV detector.

Tested Item(s)	CAS No.	Result (ug/100 Puffs)	MDL (ug/100 Puffs)
Formaldehyde	50-00-0	12	2
Acetaldehyde	75-07-0	20	2
Acrolein	107-02-8	6	2

### 2. Diethylene glycol and Ethylene glycol Content(s)

Method: Vapor was collected by a bubbler trapping system and the absorbent solution were analyzed by GC-FID.

Tested Item(s)	CAS No.	Result(ug/100 Puffs)	MDL (ug/100 Puffs)
Diethylene glycol	111-46-6	N.D	40
Ethylene glycol	107-21-1	N.D	40

### 3. Diacetyl and 2,3-Pentanedione Content(s)

Method: Vapor was collected by a bubbler trapping system and the absorbent solution were analyzed by GC-FID.

Tested Item(s)	CAS No. Result (ug/100 Puffs		MDL (ug/100 Puffs)
Diacetyl	431-03-8	N.D	20
2,3-Pentanedione	600-14-6	N.D	20



Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 4 of 6

### 4. Lead (Pb), Cadmium (Cd), Mercury (Hg), Chromium (Cr), Nickel (Ni), Arsenic (As), Antimony (Sb), Aluminum(Al), Iron(Fe) and Tin (Sn) Content(s)

Method(s): Vapor was collected by cambridge filter, collect the filters from the traps and place them in the dry flasks. Add extraction solvent to each of the flasks. Insert a stopper in the flasks and shake for 30min on a platform shaker. The extracts were analyzed by ICP-OES.

Tested Item(s)	CAS. No.	Result (ug/100 Puffs)	MDL(ug/100 Puffs)
Lead (Pb)	7439-92-1	N.D	0.2
Cadmium (Cd)	7440-43-9	N.D	0.2
Mercury(Hg)	7439-97-6	N.D	0.2
Chromium (Cr)	7440-47-3	N.D	0.2
Nickel (Ni)	7440-02-0	N.D	0.2
Arsenic(As)	7440-38-2	N.D	0.2
Antimony(Sb)	7440-36-0	N.D	0.2
Aluminum(Al)	7429-90-5	N.D	0.2
Iron(Fe)	7439-89-6	N.D	0.2
Tin (Sn)	7440-31-5	N.D	0.2

### **5. Nicotine Consistency Test**

Method(s):The constant emission of nicotine is checked by measuring the quantity of nicotine emitted during the first, third and fifth series of 20 puffs. Vapor was collected by cambridge filter and the extracts analyzed by GC-FID.

Tested Item(s)	CAS.	Result (mg/20 Puffs)		Average	Related	MDL	
	No.	1-20 Puffs	21-40 Puffs	41-60 Puffs	(mg/20 Puffs)	Deviation	(mg/20 Puffs)
Nicotine	54-11-5	2.74	2.57	2.34	2.55	Alehin	0.10
Related Deviation		7.45%	0.78%	8.24%		<30%	

### 6. Total particulate matter

Method(s):Vapor was collected by cambridge filter and weigh the filter holders front and rear masses.

Tested Item(s)	Result (mg/100 Puffs)	MDL(mg/100 Puffs)
Total particulate matter	905.2	0.1



Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 5 of 6

#### 7. Nicotine Content(s)

Method(s):Vapor was collected by cambridge filter. collect the filters from the traps and place them in the dry flasks. Add extraction solvent to each of the flasks. Insert a stopper in the flasks and shake for 30 min on a platform shaker. The extracts were analyzed by GC-FID.

Tested Item(s)	CAS. No.	Result (mg/100 Puffs)	MDL(mg/100 Puffs)
Nicotine	54-11-5	8.15	0.1

### 8. Propylene glycol and Glycerol Content(s)

Method(s):Vapor was collected by cambridge filter. collect the filters from the traps and place them in the dry flasks. Add extraction solvent to each of the flasks. Insert a stopper in the flasks and shake for 30 min on a platform shaker. The extracts were analyzed by GC-FID.

Tested Item(s)	CAS. No.	Result (mg/100 Puffs)	MDL(mg/100 Puffs)
Propylene glycol (PG)	57-55-6	253.8	0.2
Glycerol (VG)	56-81-5	387.5	0.2

**Remark:** MDL = Method Detection Limit

N.D = Not Detected (<MDL)

--- = No content



Report No.: A2312064-C01-R02 Date: December 19, 2023 Page 6 of 6

### Tested sample photo(s)



--- End of report ---

#### Statement:

- 1. The sample(s) and sample Information was/were provided by the client who should be responsible for the authenticity which ALPHA hasn't verified.
- 2. The result(s) shown in this report refer(s) only to the sample(s) tested.
- 3. Without written approval of ALPHA, this report can't be reproduced except in full.
- 4. Decision rules for the conclusion of this test report: decision by actual test data without considering measurement uncertainty.